




GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.



Trust, Quality
excellence thy name
GUNGUNWALA



JAS-ANZ



ISO 9001:2015
CERTIFIED

- ➔ State-of-the-art infrastructure
- ➔ Ethical business practices
- ➔ Team of qualified & dedicated professionals
- ➔ Unmatched style and quality of products
- ➔ Cutting edge technology
- ➔ Cost effective prices
- ➔ Innovative designs
- ➔ Timely delivery



Unit-1



Unit-2



ABOUT GUNGUNWALA

GUNGUNWALA FOOD EQUIPMENT PVT. LTD (ISO 9001:2015 Certified Company) was born in **2010** in **AHMEDABAD - GUJARAT INDIA** are one of the renowned Manufacturers and Exporter of various snacks food processing equipment such as Continuous Frying Systems like Automatic Chips Fryer, Fully Automatic Pellet Frying Line, Potato Chips Plant, Continuous Namkeen Fryer, Pellet Fryer, Batch type Fryer like Circular fryer, Rectangular fryer, Direct Heat Rectangular Fryers, Chips Flavoring Tumbler, Namkeen Mixers, Namkeen Extruders, Wooden Based Boiler (3 Pass & 2 Pass Heating System), Thermic Heat Exchanger & Wooden Based Thermic Boiler (4 Pass & 3 Pass Heating System)

Our Vision

Our vision is to stand as a leading food processing equipments Manufacturer Company in India.

Our Mission

Our mission is to earn loyalty of existing customer and grow up the business by implementation of latest technology.

Export

Good Quality and cost effective our products had built the customer trust had

Team

We have specialized and technical qualified team to achieve our mission.

After Sales Service

Service division team demonstrates our continued commitment to the customer



COMPANY PROFILE

Mr. S.P. Singh who had laid down the foundation stone of GUNGUNWALA Food Equipment Private Limited with great experience in same market segment. Our focus is not only as manufacture but also balance the quality, pricing and delivery timings simultaneously.



RESEARCH DEVELOPMENT

Gungunwala Food equipment private limited company has the qualified team of engineers for designing, drafting to produce the word class product.



GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.




MR. S.P. SINGH
Managing Director

Progress for me has never been a dream. It has always been a distant reality and once one milestone is achieved, there is always another one waiting to be crossed. It is with this belief that I started GUNGUNWALA Food Equipment Private Limited. Overcoming challenge after challenge with the support of my brilliant team, I have been successful in bringing GUNGUNWALA to a new milestone of global recognition.

“WE INTRODUCE NEW TECHNOLOGY
DESIGN INTO THE FOOD MACHINE ENGINEERING...”

Steps for how we work are as follows




Around The World Our Valuable Clients

300++



GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.

Continuous Namkeen Fryer with Wooden Heat Exchanger



SPECIFIC FEATURES

Dimension	: 20 x 20 ft
Power Consumption	: 12.5 HP
Fuel	: Wood Based
Production Capacity	: 250-300 Kg/hr. (Besan Sev, Ghathiya, Papadi etc)
Material of Construction	: AISS-304 Grade Stainless Steel



The Continuous frying system is suitable for all kinds of Namkeen, Dal & Wafer

PROCESSING SYSTEM INCLUDES FOLLOWING EQUIPMENTS

- | | |
|---------------------|------------------------------------|
| ■ Frying System | ■ Control Panel |
| ■ Oil Storage Tank | ■ Round Type Wooden Heat Exchanger |
| ■ Continuous Filter | (3 Pass Heating System) |

Also available in 400kg/hr, 500kg/hr & 1000kg/hr production capacity.



Namkeen Extruder



Dough Mixer




Namkeen Mixer

Continuous Namkeen Fryer with Diesel Heat Exchanger



गुनगुनवाला

फुड ईक्विपमेन्ट प्राइवेट लिमिटेड



SPECIFIC FEATURES

Dimension	: 20 x 15 ft
Power Consumption	: 8.5 HP
Fuel	: Diesel, LPG or Natural Gas
Production Capacity	: 250-300 Kg/hr. (Besan Sev, Gathiya, Papadi etc)
Material of Construction	: AISS-304 Grade Stainless Steel



The Continuous frying system is suitable for all kinds of Namkeen, Dal & Wafer

PROCESSING SYSTEM INCLUDES FOLLOWING EQUIPMENTS

- Frying System
- Diesel Heat Exchanger
- Oil Storage Tank
- Control Panel
- Continuous Filter

Also available in 400kg/hr, 500kg/hr & 1000kg/hr production capacity.



Namkeen Extruder



Dough Mixer



Namkeen Mixer



GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.

Continuous Namkeen Fryer with Wooden Based
Thermic Boiler & Thermic Heat Exchanger



SPECIFIC FEATURES

Dimension	: 20 x 25 ft
Power Consumption	: 25.5 HP
Fuel	: Thermic Oil & Wood
Production Capacity	: 250-300 Kg/hr. (Besan Sev, Gathiya, Papadi etc)
Material of Construction	: AISI-304 Grade Stainless Steel

- Latest Oil Heating Technology with Heat Exchanger
- Continuous Conveyor Type Oil Filtration System
- Complete Material of Construction is SS 304 Grade
- Screw Gear type System for Conveyor Lifting Arrangement



The Continuous frying system is suitable for all kinds of Namkeen, Dal & Wafer

PROCESSING SYSTEM INCLUDES FOLLOWING EQUIPMENTS

- | | |
|---------------------|-------------------------------|
| ■ Frying System | ■ Thermic Heat Exchanger |
| ■ Oil Storage Tank | ■ Wooden Based Thermic Boiler |
| ■ Continuous Filter | ■ Control Panel |

Also available in 400kg/hr, 500kg/hr & 1000kg/hr production capacity.



Namkeen Extruder



Dough Mixer



Namkeen Mixer

Fully Automatic Chips Frying Line



गुनगुनवाला

फुड ईक्विपमेन्ट प्राइवेट लिमिटेड



Product Production Capacity

Products made by the line are:

- Potato Chips(Plain , Ruffles)
- Potato Sticks(Salli)



Dimension	: 110 x 20 ft
Fuel	: Diesel, LPG or Natural Gas, Wood
Production Capacity	: 500 Kg/hr.
Material of Construction	: AISS-304 Grade Stainless


150 / 250 / 500 Kg / hr Capable of integrated automatic production of Potato Chips etc. from raw potatoes.

PROCESSING SYSTEM INCLUDES FOLLOWING EQUIPMENTS

- | | | |
|----------------------------------|---|-----------------|
| ■ Raw Potato Hopper | ■ Peeler | ■ Washer |
| ■ Feed Elevator | ■ Inspection Conveyor & Single Potato Feed Conveyor | ■ Shaker-1 |
| ■ Potato Size Grader & De-Stoner | ■ Slicer | ■ Shaker-2 |
| ■ Flavouring Applicator | ■ High Speed Conveyor | ■ Linear Shaker |
| ■ Flavouring Tumbler | ■ Continuous Frying System with Heat Exchanger | |

Semi Automatic Chips Frying Line with Wooden Heat Exchanger

Reduces significant cost of production by providing automation in key operations (Only Peeling and Slicing is Batch Type).



SPECIFIC FEATURES

Dimension	: 45 X 20ft
Power Consumption	: 21.0 HP (Diesel) & 27.0 HP (Wooden)
Fuel	: Wood Based
Production Capacity	: 250 Kg/hr.
Material of Construction	: AISS-304 Grade Stainless

Round Type Wooden Heat Exchanger (3 Pass Heating System)

PROCESSING SYSTEM INCLUDES FOLLOWING EQUIPMENTS

- | | |
|--------------------------|--|
| ■ Peeler | ■ Shaker |
| ■ Potato/Banana Slicer | ■ Flavor Applicator & Drum |
| ■ Hydro for Potato Chips | ■ Continuous Filter |
| ■ Modular Belt | ■ Control Panel |
| ■ Feed Vibrator | ■ Continuous Frying System with Heat Exchanger |

Semi Automatic Potato/Banana Chips Line Capacity :-

Also available in 150 kg/hr & 500 kg/hr Products made by the line are:

- Potato Chips(Plain,Ruffles)
- Potato Sticks(Salli)
- Banana/Plantain Chips



Kirkure-Extruder



Potato Peeler



Potato Slicer



Hydro for Potato chips




Banana Slicer



GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.

Fully Automatic Pellet Frying Line with Diesel Heat Exchanger



SPECIFIC FEATURES

Dimension	: 45 X 15ft
Power Consumption	: 12HP (Diesel)
Fuel	: Diesel, LPG or Natural Gas
Production Capacity	: 300 Kg/hr.
Material of Construction	: AISS-304 Grade Stainless

The Continuous frying system is suitable for all kinds of Namkeen, Dal & Wafer

PROCESSING SYSTEM INCLUDES FOLLOWING EQUIPMENTS

- | | |
|--|----------------------------|
| ■ Vibratory Feeder with Hopper | ■ Linear Feeder |
| ■ Pre Oil Tumbler. | ■ Flavor Applicator & Drum |
| ■ Frying System with Continuous Oil Filtration | ■ Oil Storage Tank |
| ■ De-oiling Conveyor | ■ Control Panel |



Also available in 500kg/hr & 1000kg/hr production capacity.



Kurkure-Extruder

Fully Automatic Pellet Frying Line with Wooden Heat Exchanger



गुनगुनवाला

फुड ईक्विपमेन्ट प्राइवेट लिमिटेड



SPECIFIC FEATURES

Dimension	: 45 X 20ft
Power Consumption	: 16.5 HP (Wooden)
Fuel	: Wood Based
Production Capacity	: 300 Kg/hr.
Material of Construction	: AISS-304 Grade Stainless

The Continuous frying system is suitable for all kinds of Namkeen, Dal & Wafer



PROCESSING SYSTEM INCLUDES FOLLOWING EQUIPMENTS

- | | |
|--|--|
| ■ Vibratory Feeder with Hopper | ■ Linear Feeder |
| ■ Pre Oil Tumbler. | ■ Flavor Applicator & Drum |
| ■ Frying System with Continuous Oil Filtration | ■ Oil Storage Tank |
| ■ De-oiling Conveyor | ■ Control Panel |
| | ■ Round Type Wooden Heat Exchanger (3 Pass Heating System) |

Also available in 500kg/hr & 1000kg/hr production capacity.



Kurkure-Extruder



GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.


Rectangular Fryer with Inbuilt Heat Exchanger (Indirect Heating / Diesel)

Product Production Capacity

Products	Production Capacity
Kurkure & Fryums	: 250 Kg/Hr
Potato Chips	: 45-50 Kg/Hr
Banana Chips	: 40-45 Kg/Hr
Moong Dal	: 105-120 Kg/Hr
Channa Dal	: 120-130 Kg/Hr

Pan Size : ● 4.6 x 2.6 Feet and ● 5 x 3 Feet

Rectangular Fryer with Wooden Heat Exchanger (Indirect Heating / Wooden)



Potato Peeler



Potato Slicer



Hydro for Potato chips



Flovar Applicator & Drum



Coating Pan

Circular Fryer With Inbuilt Heat Exchanger (Indirect Heating / Diesel)

Product Production Capacity

Products	Production Capacity
Sev Gathiya Papdi and other besan (Gramflour) based products	: 120-130 Kg/hr
Kurkure & Fryums	: 250 Kg/Hr
Potato Chips	: 40-45 Kg/Hr
Banana Chips	: 40-45 Kg/Hr
Moong Dal	: 80-85 Kg/Hr
Channa Dal	: 80-85 Kg/Hr
Pan Size :	36" ● 42" ● 48" ● 54" inch

Circular Fryer With Wooden Heat Exchanger (Indirect Heating / Wooden)



Namkeen Extruder



Dough Mixer




Namkeen Mixer

Rectangular Fryer (Direct Heating)



गुनगुनवाला

फुड ईक्विपमेन्ट प्राइवेट लिमिटेड



Product Production Capacity

Products	Production Capacity
Kurkure & Fryums	: 125 kg/hr.
Chana, Mung Dal, Coated Peanuts	: 40 to 50 kg/hr.
Potato Wafer, Banana Wafer	: 20 to 25 kg/hr.

Pan Size : ● 4 x 2 Feet ● 4.6 x 2.6 Feet

Product Production Capacity

Products	Production Capacity
Papdi, All Types Gathiya & Sev	60 to 70 kg/hr.
Chana, Mung Dal, Coated Peanuts	40 to 50 kg/hr.
Potato Wafer, Banana Wafer	20 to 25 kg/hr.

Pan Size : ● 24" ● 30" ● 36" (inch)

Circular Fryer (Direct Heating)




Our Other Products



Potato Peeler



Hydro for Potato Chips



Banana Slicer



Namkeen Extruder



Potato Slicer



Dough Mixer



Namkeen Mixer



Coating Pan



Flavor Applicator & Drum



Rotary Roaster




De Oiling Conveyor Belt



Thermic Fluid Heat Exchanger



GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.



GUNGUNWALA
FOOD EQUIPMENT PVT. LTD.

FACTORY & HEAD OFFICE :

**Unit-1 6-B, Unit-2 4/1, Aashutosh Industrial Estate, Kadadara Road, ZAK-G.I.D.C., Dehgam Road,
G. N. – 382330, Ahmedabad, Gujarat- INDIA**

☎ +91-99097 20566, +91-99097 89504, +91-99789 20568, +91- 99789 86715

✉ info@gungunwala.com | fryersgungunwala@gmail.com

✉ exportgungunwala@gmail.com

REGIONAL OFFICE:

2/21, Rajni Khand, Sharda Nagar, Lucknow – 226002, U.P

☎ +91-99097 20568

✉ info@gungunwala.com, fryersgungunwala@gmail.com



www.gungunwala.com

www.gungunwala.video